



Electric Hoist 2 Ton

Electric Hoist 2 Ton is a kind of special lifting equipment, The low headroom electric hoist has a unique structure in shortening the distance between the body and the beam track. Electric Hoist 2 Ton It is suitable for use in lower buildings, especially suitable for temporary construction of workshops or places where the effective lifting space needs to be expanded.Low-headroom electric hoist is a lifting equipment, suitable for mechanical processing, assembly, warehouse and other material transfer places, especially for places with restricted plant height, reaching the technical level of similar foreign products.

1、Introduction of the Electric Hoist 2 Ton

Electric Hoist 2 Ton with sports car Hoist, the lifting height is 3-120 meters, the load is 0.3T-10 tons, and the electric chain hoist has a wide range of applications, suitable for electric power, logistics, coal mines, petrochemicals, ports, docks, buildings, workshops, warehouses, etc. Material hoisting, loading and unloading, and handling operations on occasions

2 Product Specification of the Electric Hoist 2 Ton

Item	HSY Electric Chain Hoist With Electric Trolley					
	15-06S	15-06D	20-08S	20-08D	25-10S	25-10D
Capacity (Ton)	15	15	20	20	25	25
Lifting Speed (m/min)	1.8	1.8/0.6	1.4	1.5/0.5	1.1	1.2/0.4
Motor Power (kw)	2*3.0	2*3.0/1.0	2*3.0	2*3.0/1.0	2*3.0	2*3.0/1.0
Rotation speed (r/min)	1440	2880/960	1440	2880/960	1440	2880/960
Insulation grade	F Level					
Trolley travelling speed (m/min)	in) 11 slow, 21 fast					
Power supply	3P-380V 50HZ					
Controller voltage	24v/36v/48v					
No. of load chain	6	6	8	8	10	10
Diameter of chain (mm)	11.2					
N.W.(KG)	382	455	482	545	530	579



3、Electric hoist 1 Ton feature and application

The low headroom electric hoist has an exquisite structural design and a novel and beautiful appearance. It conforms to DIN and FEM standards and reaches the technical level of similar products. It is suitable for a variety of material transfer places such as mechanical processing, assembly, warehouse, etc., especially for places where the height of the plant is restricted. Electric Hoist 2 Ton is the perfect complement to your Gorbel Work Station Crane, Jib Crane, Gantry Crane, or Cleveland Tramrail System. Rely on the name that has meant superior performance at every level to provide you with a complete, reliable lifting system, exactly when you need it. By adding chain hoists to the offering,Electric Hoist 2 Ton offers the most convenient delivery and installation in the industry.

Our hoist line offers a wide range of models in different speeds and capacities to meet your needs. Our rugged construction makes them ideal for both high production environments and those applications requiring only periodic lifting and positioning.

4、 Product details of the Electric Hoist 2 Ton

Electric Hoist 2 Ton For the shell, it is made of light aluminum alloy shell, light but hard, the cooling fin is specially designed to ensure quick heat dissipation with the rate up to 40% and continuously




Electric Hoist 2 Ton limit switch device is installed where the weight is lifted on and off to make the motor to stop automatically so as to prohibit the chains from exceeding for safety.





Electric Hoist 2 Ton We use G80 chain, not iron chain, it is more durable ,braking force is 4times ,ang it is waterproofed and oil proofed





The hook, it is hot forging with perfect strength that is hard to break. The operation safety of the lower hook is ensured by its 360 degrees rotin and safety tongue piece, and the test load is 1.25 times, we will test.





Waterproof push button is applied, it is light and durable.





5、 Product qualification

Shanghai Yiying Crane Machinery Company is the hoist manufacturer Institute certified. This means we are one of the industry's leading suppliers of hoist equipment. We are reliable and deliver exceptional value.

Shanghai Yiying Crane machinery Companysupply 380V 440V 415V electric hoist 2ton.it is the most popular in Asia ,America and Canada ,It is beautiful ,strong and durable.we promise the electric hoist 2ton warranty is 2 years.and the hand cable is warterproofed,and we really welcome the treaders around the world join in us .

6、Deliver shipping and serving



Pre-sale Services : we have professional sales team as your guide to choose correct model and solve your problems timely, cooperated with engineering team、 technical department、 production department、 administration department、 accountant department、 document department, working time is 7x24hours.

Sale services: one to one sales would in charge of all matters about your purchase order and would monitor shipping all the way till you got material, including proving documents, communicate with forwarder etc. Cooperated with production department, technical department, engineer department technical department, packaging department, logistic department to deal with related communications ensure your order would be proceed without any mistakes.

After-sale services : after-sales team will deal with all complaint from customers such as packaging ,quality ,shipping ,etc. We will surely exchange goods or make up lost if finally verify mistakes caused by our side, a promise is a promise !

7、FAQ

1. Is your products customized?

Yes. Due to different working conditions, all 1.Electric Hoist 2 Ton are customized, depending on specific requirements, so if you can provide more information, we can prepare accurate solutions for you.

2. What information should I provide in my inquiry?

The more information you provide, the more accurate solutions will be ready for you! Information such as lifting height, lifting capacity, span, power supply or other special equipment you provide will be very useful.

3. How many operations have I chosen?

The standard configuration we provide is a suspension controller with buttons, and we can also provide a remote control or cab with buttons.

4. My workshop space is limited. Can I use it?

For low headroom workshop, we have special 1.Electric Hoist 2 Ton. Our engineers will design the details for you.

